



Bakmeegama

Cascade Profile & Basic

Cascade Development Plan



Climate Smart Irrigated Agriculture Project (CSIAP)
 Kunchikulam Aru & Yan Oya River Basin
 Gomarankadawala Divisional Secretariat Division
 Trincomalee District
 Eastern Province

Table of Content

1. Introduction.	4
1.1.Cascade Management Committees (CMCs) for sustainable management	5
1.2.Necessity of a Cascade Management Committee	7
1.3.Objectives of preparation of a cascade profile and a Cascade Management Plan (CMP)	7
1.4. Importance of preparation of profile and the Cascade Management Plan	8
1.5 Brief introduction to the cascades situated in the area.	8
1.6 Bakmeegama cascade system.	9
1.7 Map of the Bakmeegama cascade system.	10
1.8 Information of the small tanks within the cascade system.	12
1.9. Importance of managing the Bakmeegama cascade for its sustainability.	12
1.10.Necessity of preparing a profile for Bakmeegama cascade.	13
1.11Preparation of Bakmeegama cascade profile.	13
02. Methodology applied in preparation of the Cascade Management Profile and the Basic Cascade Management Plan (CMP).	15
03. Details of the current profile of the Bakmeegama cascade.	16
3.1. Details of geographical aspect.	16
3.2. Details of Geological aspect.	16
3.3. Details of hydrological aspect.	16
3.4. Details of Environmental aspect.	18
3.5. Details of Human livelihood activities occurring within the cascade.	18
3.6. Details of the socio-economic aspect.	19
3.7. Details of construction activities withing the cascade system.	20
3.8. Details of crop pattern within the cascade system.	21
3.9. Details of irrigation management within the cascade system.	22
3.10. Details of the current situation of the command area.	23
04. Major Challenges face by the cascade system.	23
4.1 Critical Issues of the cascade system.	23
4.2 Proposed strategic interventions plan by the CMC to resolve/mitigate Critical issues of the cascade system.	25
4.3 Key activities suggested by the CMC to address or mitigate critical issues.	25
05. Cascade Management (Basic) Plan.	29
5.1. Total estimated cost for implementing interventions and contribution expected from the stakeholder agencies.	29
5.2. Interventions and major activities expected to be implemented by the CSIAP within its project period.	35
5.3Implementation Methodology of Cascade Development Plan	38

Annexures

Annexure 1: Circular No 6 of 2023 issued by the Department of Agrarian Development on 03 rd August 2023 to establish Cascade Management Committees.	36
Annexure 2: List of stakeholder agencies participated in Transect Walk To learn the Bakmeegama cascade system.	41
Annexure 3: List of officials and members of the CMC.	45
Annexure 4: Guidance Format for preparation of subproject proposals to raise funds to implement interventions and major activities.	46

Tables

Table 01: The general information of the cascade system.	09
Table 02: Capacity of tanks and beneficiaries of tanks	12
Table 03: Tanks and coordinates	12
Table 04: Vulnerable families in the Bakmeegama cascade	19
Table 05: FOs functioning in the Bakmeegama cascade	19
Table 06: Farm families and others	20
Table 07: Construction activities under implementation of CSIAP	20
Table 08: Tank wise cultivation before and after rehabilitation	22
Table 09: Critical issues identified	25
Table 10: Proposed key activities to overcome the identified issues	26
Table 11: Gantt chart for proposed activities and responsible entities for implementation	29
Table 12: Total estimated cost for implementing interventions and contribution expected from the 35 Stakeholder agencies	35

Maps

Map 1: The map of the Bakmeegama cascade system – Old	10
Map 2: The map of the Bakmeegama Figures:	
Figure 1: Major stakeholder agencies currently involve in managing the affairs of the Bakmeegama cascade system.	06

1.Introduction:

Small water storages are recognized as a key invention that facilitated the colonization of the dry zone of Sri Lanka. These small reservoirs are referred to as ‘tanks. In the dry zone of Sri Lanka, natural or man-made tanks have served for the collection, storage and distribution of rainfall and runoff and provided irrigation water for the cultivation of paddy and OFC for 2000 years. During the two main rainy seasons in April - May and September - December, surface runoff is collected and stored in these tanks and successively distributed during the dry periods to the fields located in the downslope.

The tanks are arranged in a cascade-like fashion along shallow valley courses. They are connected by canals, natural drains and spillways and build a complex system of floodwater harvesting, water storage and water distribution. The tank cascade system (wewa-ellangava in Sinhala or viluneer kulathodar in Tamil) is an ancient Sri Lankan irrigation infrastructure. The system is a network of small tanks draining to large reservoirs that store rainwater and surface runoff for later use.

Besides irrigation, the stored water is used for domestic purposes, desiccated tank beds serve as pasture for the cattle and deposited sediments are used as raw material for brick production. Thus, the tanks have characterized the cultural landscape and have become an identity-generating factor for the rural culture.

The main principle behind the Tank Cascade System is recycling and re-using of water through a network of small to large-scale tanks. The advantage of such system is that excess water flowing from a reservoir along with the water used in its command area is captured by the next downstream reservoir and, thus, put to use again in the command area of the second reservoir. This water is continuously filtered and recycled in subsequent tanks. Tank Cascade Systems buffer the effects of climatic fluctuations and work as a cornerstone in coping with future climate change in the dry zone of Sri Lanka.

The management of Tank Cascade Systems is intimately associated with their sociological setting and the evolution of rural settlements. Therefore, the overall objective of cascade management is to enhance the living standards of rural communities and the environment through the restoration and improvement of the system on a sustainable basis.

The World Bank Funded Climate Smart Irrigated Agriculture Project (CSIAP) implementing under the Ministry of Agriculture has formed Cascade Management Committees consisting of the project beneficiaries, government officers and other community-based organizations in the cascade area. In order to maintain sustainably of the development of the “Climate Smart Irrigated Agriculture Project” by protecting and conserving the cascade system, which is one of the most magnificent creations of the irrigation management. The primary responsibility of the Cascade Management Committees is to bring together all the stakeholders in the cascade and manage all the resources well, and to facilitate that task.

A Cascade Profile is prepared for each Cascade in the province to collect the necessary information to prepare a Cascade Management Plan. Through the Cascade Management Committee, the Cascade Management Plan has been prepared with a participatory approach with the aim of protecting the Cascade and the watershed area.

1.1. Forming of Cascade Management Committees for sustainable management

Small tank cascade systems (STCS) are part of Sri Lanka's hydraulic civilization. These systems interconnected small man-made reservoirs which capture seasonal rainwater for agriculture, household, and environmental purposes are considered the lifeblood of communities in the Dry Zone of Sri Lanka. These time-tested drought and flood mitigation systems are now increasingly being seen as excellent community resilience systems for adaptation to climate change in the Dry Zone of Sri Lanka. Somewhat neglected by the authorities, the systems are now being revived, and restoration of degraded STCS is being recognised as a viable option for adaptation in the National Action Plan for Climate Change Adaptation in Sri Lanka as well as articulated as adaptation actions in the Nationally Determined Contributions (NDCs) under the Paris Agreement. This chapter brings out the unique features of these systems and discusses how the systems have been helpful in addressing drought and flood mitigation historically; in building climate change resilience in small-scale farming communities in the Dry Zone in the present context in; how they were managed over time and what future they hold in climate change adaptation planning in the country.

Role and responsibilities of the Cascade Management Committee

- The committee should take necessary decisions to manage the resources of the cascade with a joint approach of all agencies and beneficiaries of the cascade and follow up the implementation of those decisions and make the necessary corrections accordingly.
- The committee should discuss the maintenance work to be carried out in the cascade by respective farmer organizations.
- It should organize participatory activities of the development programs at the cascade level
- The committee should discuss the outcomes of cultivation committee meetings and issues that can be solved at the cascade level.
- They should plan cultivation, water issues, input supply, training programs, and other production activities and make arrangements for the marketing of products.
- They should bear the overall responsibility of the development and production programs within the cascade and the management of water and associated resources (including ecosystems) in the cascade.
- Through integrated management, ensure drinking, agricultural, livestock, and inland fisheries requirements are equitably met.
- Promote climate-smart agriculture practices and technologies.
- Prepare/ update an agriculture development plan for the entire cascade.
- Facilitate market access to the production from the agriculture plan implementation.
- Facilitate the community to access the weather and agriculture advisories.

During the Participatory Rural Appraisal (PRA) time, number of cascades identified in Eastern Province. Cascade system is new concept of Eastern area. Therefore, the necessity of cascade management committee formation and development of cascade management plan is identified by the CSIA Project. It will be a route map of the future investors and planners as well as the government and non-government officers who are interested to the cascade system development.

Major stakeholder agencies currently involve in different level for managing the cascade system.




Figure I: Major stakeholder agencies currently involve the CMC

Composition of the Cascade Management Committees

- i. Representative of the Divisional Secretary (DS) - Chairman
- ii. Divisional officer of Department of Agrarian Development (DAD) - Secretary
- iii. Agriculture Instructors (AIs) in the cascade
- iv. Representative of the Department of Irrigation (DOI)
- v. Representative of the Department of Wildlife Conservation (DOWC)
- vi. Representative of the Provincial Irrigation Department (PID)
- vii. Representative of Department of Forest Conservation (DOFC)
- viii. Representative of Geological Survey and Mines Bureau (GS & MB)
- ix. Representative of Water Resources Board (WRB)

- x. Representative of the Local Government Authority (Pradesha Saba)
 - xi. Representatives of the Grama Niladhari level Committee
 - xii. Representatives of Department of Land Use Planning
 - xiii. Representatives of NACTA
 - xiv. Department of Police
 - xv. Representative of Farmer Organizations (FOs)
 - xvi. Representative of Community Base Organizations (CBOs) in the cascade
- The Co-Chairman of the CMCs must be a representative of the farmer organization.

1.2. Necessity of a Cascade Management Committee

The established of Cascade Management Committee is essential to ensure the coordinated and effective management of a series of interconnected tanks. This committee would oversee critical aspects such as tank maintenance, operational protocols, safety measures, and resource allocation, optimizing the functionality, water sharing, water safety and maintaining ecosystem of the entire cascade system. The appointed CMC concluded the representative from each and every tank for centralizing decision-making and fostering collaboration among relevant stakeholders, the committee would help prevent disruptions, minimize downtime, and enhance the overall efficiency and reliability of the tank cascade

A Cascade secures the surface and ground water level of the catchment area and as a result provides water for domestic and agricultural activities. According to the above Figure 1, there are public, private stakeholders involving with farmer and other community-based organization's representatives have responsibilities to protect the Cascade. However, the Cascade has been seriously degraded due to the lack of attention of the stakeholders and natural and human activities. Therefore, a coordinating body like the Cascade Management Committee has become more necessary to take action to protect the Cascade.

1.3. Objectives of preparation of a cascade profile and a Cascade Management Plan

The main objective of the cascade profile is facilitating to learn the cascade status and issues that affect negatively to it, which enables to develop a pragmatic cascade management plan to ensure the sustainability of the cascade and the water productivity of the tank system in the area.

The specific objectives are:

- To identify the water-sharing mechanism of the cascade
- To reduce vulnerability to climate change
- To enhance the restoration of the watershed of the system to enhance biodiversity (Flora & Fauna, Wild animals, etc.) through integrated management
- To address the water scarcity faced by rural communities living in the cascade (addressing the farming, drinking and environmental water requirements of the area)
- To manage water and associated natural resources in a sustainable manner.
- To promote crop zoning programmes and facilitate marketing.
- To enhance the living standards of rural communities on a sustainable basis.

1.4. Importance of preparation of profile and the Cascade Management Plan

A cascade management plan is urgently needed to protect the resources and ensure sustainability of the cascade system. Also, cascade should be managed with an integrated approach through an appropriate institutional structure with the participation of all stakeholders in cascade. For that purpose, a cascade profile and a cascade plan will be prepared to achieve the objectives.

Preparation of a basic plan (Cascade Management Plan) that includes the elements of strategic interventions to solve the critical issues and the monitoring system, tentative cost estimates, expected implementation time period and responsible organizations to be involved in the implementation of the plan.

A detailed Cascade Profile including information on damage to the cascade system mainly due to geographic, hydrological, ecological, cropping patterns and human activities and a map prepared using of Geographical Information System (GIS) for the use of stakeholder organizations and Facilitating stakeholder organizations to save the environment.

The need for a well-designed cascade profile arises due to several reasons. Firstly, it enables equitable water distribution, ensuring that all agricultural fields within the system receive their required share. By following the natural contours of the land, the cascade profile helps in minimizing water wastage and reduces the risk of waterlogging or erosion. Secondly, the cascade profile helps manage the gravity-driven flow of water. By constructing the channels and structures at appropriate elevations, the system can take advantage of the natural force of gravity to move water from higher to lower elevations, reducing the need for pumping and energy consumption. Additionally, the cascade profile allows for the regulation of water flow and storage. By incorporating storage reservoirs at different levels, excess water can be stored during periods of high rainfall or low irrigation demand, ensuring a steady water supply during dry spells.

Overall, the Bakmeegama cascade profile plays a vital role in maximizing water conveyance efficiency, minimizing losses, and promoting Climate Smart Agricultural practices in water-scarce regions. It allows for the optimal utilization of available water resources and helps farmers to meet their irrigation needs while minimizing environmental impact.

1.5 Brief introduction to the cascades situated in the area

The hotspot area of Trincomalee District was selected mainly based on the “Kunchikulam Aru” and “Yan Oya” river basin. CSIAP has selected five cascades in Morawewa, Gomarankadawela and Kuchchaweli DS Divisions for rehabilitation namely, Rambawewa, Kattaru, Kadawaththa, Puliyankulam, Madawachiya and Bakmeema cascades. The Bakmeegama cascade is linked with Kunchikulam Aru and Yan Oya river basins.

Tank cascade systems were identified from the Participatory Rural Appraisal (PRA), Hydrology studies, engineering surveys, and Preliminary Investigation Report (PIR) reports during the project period. There were seven tanks have identified in Bakmeegama Cascade according to the consultation with all stakeholders, including farmers and officers. Finally, it was declared as a cascade by Department of Agrarian Development (DAD).

1.6 Bakmeegama cascade system

The Bakmeegama cascade is situated in Gomarankadawela Divisional administrative Division. It consists eight tanks namely, Kuda divul wewa, Divul wewa, Palugas wewa, Bakmeegama Kuda Kumbuk wewa, Bakmeegama Maha Kumbuk wewa, Kuda Thimbri wewa, Bakmeegama wewa and Maha Thimbriwewa wewa under 233/D Bakmeegama and 231, Gomarankadawela GN Divisions of Gomarankadawela Divisional Secretariat division. The existing capacity of the cascade is 1267.22ac. Ft. and the designed capacity is 1587.12 ac. Ft

The general information of the Bakmeegama cascade is given in Table 1.

Table 01: General information of the Bakmeegama cascade

Information	Details
Name of the District	Trincomalee
Name of the Divisional Secretariat/s	Gomarankadawela
Name of the electorate	Trincomalee
Name of the river basin	Kunchikulam Aru and Yan Oya
Name of the Cascade:	Bakmeegama Cascade
Name of the Agrarian Development Center/s.	Gomarankadawela
Name/s of Grama Niladari Division/s	233/D Bakmeegama and 231, Gomarankadawela
Extent of the cascade in hectares	,,,,,,,,,,,,,
Number of sub watersheds	,,,,,,,,,,,,,
Number of clear catchments	,,,,,,,,, acres
Number tanks used for agriculture	08
Restricted forest areas, if any	No
Number of families living in the command area	130
Number of tanks located within the forest	,,,,,,,,,,,,,

1.7 Map of the Bakmeegama cascade system



Map 1: The Bakmeegama Cascade Map

Source: Climate Smart Irrigated Agriculture Project




Source: Climate Smart Irrigated Agriculture Project



Source: Climate Smart Irrigated Agriculture Project



Source: Climate Smart Irrigated Agriculture Project



Bakmeegama wewa **Source:** Climate Smart Irrigated Agriculture Project



Kuda Thimbiri wewa- Source: Climate Smart Irrigated Agriculture Project



Mahathimbri Wewa Source: Climate Smart Irrigated Agriculture Project



Bakmeegama Kudakubuk Wewa Source: Climate Smart Irrigated Agriculture Project



Bakmeegama Maha kumbuk wewa- Source: Climate Smart Irrigated Agriculture Project

Map 2: Map of the Land use pattern of Bakmeegama Cascade

Source: Climate Smart Irrigated Agriculture Project

1.8 Information of the small tanks within the Bakmeegama cascade system

The eight tanks are coming under the Bakmeegama cascade system namely Kuda divul wewa, Divul wewa, Palugas wewa, Bakmeegama Kuda Kumbuk wewa, Bakmeegama Maha Kumbuk wewa, Kuda Thimbri wewa, Bakmeegama wewa and Maha Thimbriwewa wewa. Which tanks are belongs to Gomarankadawela Agrarian Development Department The farm families 319 nos with the extent of 286.70 ha paddy land have directly benefited by this cascade. As the inadequate fund allocation, the department has not made any rehabilitation activities for tank development by last three decades.

The tank wise details are given in the table 2.

Table 02: Details of Capacity of tanks and Beneficiaries of tanks

No	Tank name	GND	Capacity (Acre feet)	Command area (Hec)	No of farmer families
1	Kuda divul wewa,	231, Gomarankadawela	46.93	10	12
2	Divul wewa	231, Gomarankadawela	200.57	45	50
3	Palugas wewa,	231, Gomarankadawela	30.89	12	8
4	Bakmeegama Kuda Kumbuk wewa,	233/D Bakmeegama	136.74	34	34
5	Bakmeegama Maha Kumbuk wewa,	233/D Bakmeegama	355.20	64	68
6	Kuda Thimbri wewa,	233/D Bakmeegama	16.04	24	25
7	Bakmeegama wewa	233/D Bakmeegama	437.04	61	50
8	Maha Thimbriwewa wewa.	233/D Bakmeegama	63.72	85	61
			1267.22	286.70	319

Details of tank coordinates of Bakmeema cascade is given as below in Table 3

Table 03: Details of tanks and coordinates

No	Tank name	GND	Coordinate	
1	Kuda divul wewa,	231, Gomarankadawela	8.7071424	80.9380176
2	Divul wewa	231, Gomarankadawela	8.6706193	80.972808
3	Palugas wewa,	231, Gomarankadawela	8.6733343	80.9773502
4	Bakmeegama Kuda Kumbuk wewa,	233/D Bakmeegama	8.6927923	80.9730534
5	Bakmeegama Maha Kumbuk wewa,	233/D Bakmeegama	8.6971963	80.9710624
6	Kuda Thimbri wewa,	233/D Bakmeegama	8.7182567	80.9750387
7	Bakmeegama wewa	233/D Bakmeegama	8.7196057	80.9633554
8	Maha Thimbriwewa wewa.	233/D Bakmeegama	8.7118764	80.9818349

1.9 Importance of managing the Bakmeegama cascade for its sustainability

The Bakmeegama cascade refers to a system of interconnected irrigation channels and downstream water flows that are strategically designed to provide water to agricultural fields and ensure efficient water distribution. This system is often employed in areas where water scarcity is a challenge and where there is a need to optimize water usage for agricultural purposes.

The management of the Bakmeegama cascade system holds immense importance across various dimensions. The ha extent of the cascade area directly influences water availability, enhancing agricultural productivity and food security. The five number of tanks and within the cascade system amplifies its significance as a reliable water source for paddy cultivation and OFCs necessitating careful maintenance to ensure consistent supply. Moreover, the 130 number of farmer families' dependent on this cascade system underscores its role in supporting to the entire rural livelihoods and uplift economic conditions of the GND. In this context, the five number of minor tanks assumes significance as they regulate water distribution, impacting equitable access for all users. Effective management strategies are crucial to sustainably harness the potential of the tank cascade system, ensuring optimal agricultural output, livelihood support, and water resource equity.

1.10 Necessity of preparing a profile for Bakmeegama Cascade

Preparing a profile for Bakmeegama Cascade system is essential as it provides a comprehensive overview of the system's design, components, and operational parameters. This profile serves as a valuable reference for engineers, operators, stakeholders and layman farmers involved in the system's installation, maintenance, and management. By detailing factors such as tank specifications, interconnections, control mechanisms, safety features, critical issues and fluid transfer dynamics, the profile enables a clear understanding of how the cascade system functions and how it fits within the entire command and catchment areas. Ultimately, this profile facilitates effective decision-making, troubleshooting, and optimization, ensuring the tank cascade system operates reliably and efficiently to meet its intended purpose.

The sustainable existence of cascade was established due to the rural institutional structure and socio-economic practices, traditions and customs of the past to maintain the cascade and gradually with the change of these conditions, the cascade system deteriorated and at present it is deteriorating very rapidly. It is very important to identify the current situation and existing problems of the cascade and the critical issues among them in order to restore the cascade systems, prevent resource degradation and manage them properly.

1.11 Preparation of Bakmeegama Cascade Profile

Information was obtained from several sources to develop the Cascade profile. Secondary data, group discussions and Transact Walk were the main tools for the data collection. The secondary data was obtained from the hotspot area Agriculture Development Plan prepared for the hotspot areas of the project, engineering survey, hydrological survey and other statistical information of the Divisional Secretariat, Wildlife and Forest Conservation Department. Apart from this, the Transect Walk was conducted with the participation of all stakeholder organizations to generate primary data. The participants were grouped into two groups. These groups were covering all the main water catchment areas of cascade. The Information was collected at 100 by 100 meters of the road and the geographical information, geological information, hydrological information, ecological information, socio-economic information about resource degradation and severity of resource degradation were collected through observations and discussions. Beneficiaries, farmer organization members and officials of all


government agencies participated in the transect walk and after the walk, a workshop was held with the participation of all the parties involved to further verify the accuracy of the information.

In particular, the information contained in this cascade profile is very important for the preparation of the basic plan for cascade management and will be very helpful for those who study cascade in obtaining information about cascade and planning future development of cascade.

The participatory assessment process is the basic methodology for developing the cascade profile, and appropriate tools were used to identify the bio-physical condition of the cascade area. Focused group discussion, matrix ranking, and transect walk were the main tools. Participants living in the hotspot area and members of Cascade Management Committees (CMCs), members of farmer organizations, and representatives of Government Organizations have participated in this assessment process.

After completion of the transect walk, all participants met together at a point and validated the collected information. This validated information was compiled as a report and shared among the CSIAP officers who participated in the transect walk. Finally, the report was developed and submitted to the PMU for further improvement.

The process of preparation of cascade profile includes the following major activities



The objectives of the cascade profile development and how needful data is to be collected and generated during the interactive and iterative process have been conducted in Focus group discussions. The main intervention was identified and ranked during the discussion.

02. Methodology applied in preparation of the Cascade Management Profile and the Basic Cascade Management Plan (CM)

After the Situation Analysis of Bakmeegama Cascade, the CSIA Project has confirmed the need of institution called Cascade Management Committee to protect the cascade in future. The Cascade Management Committees' stakeholders will prepare a formal Cascade Profile and Cascade Management Plan.

The participatory assessment process is the basic methodology for developing the Cascade basic development Plan, and appropriate mechanisms were used to identify the bio-physical condition of the cascade area. The primary and secondary data collection techniques applied to fulfil the cascade management profile and basic cascade management plan. The main were focused group discussion, key informant interview and transect walk.

The Cascade Management Plan preparation is a multifaceted task that includes field-based activities. For that, before preparing the Cascade Management Plan, Cascade Profile should be prepared, where participatory and multi-stakeholder methods are used to assess the geological, ecological, hydrological and social aspects of cascade. Data generation, data analysis, report writing, plan preparation and stakeholder validation required multi-skilled personnel. All these tasks were carried out by the Climate Smart Irrigated Agriculture Project officials with guidance of the World Bank staff. For setting up, the Climate Smart Irrigated Agriculture Project and partner institutions have come together and followed the following steps:

- (i) Conduct the meetings
- (ii) Collect the secondary data
- (iii) Generate the primary data using participatory techniques such as transact walk
- (iv) Validate the data
- (v) Developing cascade profile
- (vi) Identifying issues using participatory techniques like problem tree analysis and pairwise comparison
- (vii) Identifying the critical issues
- (viii) Formulating the cascade plan
- (ix) Validating the correctness of the cascade management plan with stakeholders' participation

(x) Identifying proposed strategic interventions and key activities to address or mitigate the critical issues in a special meeting of the Cascade Management Committee and preparation of tentative estimates for the implementation of the proposed strategic interventions and implementation periods divided into short term, medium term and long term have been included in the cascade management plan so that the cascade management committee can easily implement them.

03. Details of the current profile of the Bakmeegama cascade

3.1. Geographical aspect

The areal extent of Gomarankadawela DS Division has an area of 285 sq kilometers. Topographically, the district is consisted with undulating plain with a long coastal belt of 350 km length, which is associated 10 bays and 15 lagoons.

The most widely distributed soil group is alluvial soils especially in the Mahaweli delta and on the flood plain. The radish brown earths are really as abundant. This soil group contains red – brown soil with low humic clay, solodized solonates and non – calcic brown soils. Low humic clay is most widespread on the undulating terrain.

The Agro Ecological environment conditions typical of Trincomalee township area where the annual rainfall pattern is distinctly Unimodal (DL2b) , whereas the areas falling within Gomarankadawela division, where the Hotspots are located exhibit climatic conditions somewhat similar to that of DL1 AER. The DL2 AER , experience relatively higher annual rainfall at 75% of expectancy level compared to that of DL1 agro ecological region where the total annual rainfall at 75% expectancy is around 900mm. However, in terms of rainfall distribution and hence the degree of wetness, the later (DL1) is found to have relatively better agriculture potential, especially during the period of yala cropping season.

3.2. Geological aspect

By virtue of its geographical location this division receives major portion of annual rainfall during the period of North East Monsoon. The occasional rainfall experienced during South West Monsoon is not at all adequate to meet crop water demand and hence leads to regular crop damages during yala season. According to Agro Ecological Map compiled by Natural Resource Management Centre of the Department of Agriculture, entire division falls within Low Country Dry Zone (DL), covering 05 Agro Ecological Regions (AER), each with its unique climatic characteristics however, all of which with total annual rainfall of less than 1750mm.

The geographical setting of DL1d agro ecological region is such (adjacent to sea coast) that low rainfall during first inter monsoon period resulting from weak convective activities is the main reason for weak yala rains (Punyawardane). DL1e agro ecological region too follows the same rainfall pattern of distribution but because of its location towards the inland, away from the coastal belt receives a little more rain during first inter monsoonal periods, but not at all adequate for successful yala cultivation

3.3. Hydrological aspect

The direct rainfall, water collected in minor tank cascade systems by rainfall and what is available from Yan Oya scheme are supposed to be the main source of water supply in this area. Livelihood of village communities entirely dependent upon water availability from above the source of water. The main river basin of hot spot area has been identified as Yan oya, Kunchikulam river and Mee oya.

Farmers of Gomarankadawela, while managing water in the cascade system are compelled to adhere to some basic strategies of tank water management. i.e Store and save as much as water in tank, utilize direct rainfall to maximise possible level for cultivation and adopt stringent control measures to reduce on farm and off farm water losses while irrigation.

The cascade faces following hydrological issues were observed during the Focus group discussion and transect walk.

The proposed cascade experiences significant water scarcity due to limited water resources and irregular rainfall patterns. The region relies heavily on monsoon rains, and any deviation from normal precipitation levels can lead to water shortages, especially during the dry season.

The excessive extraction of groundwater for agriculture, domestic and industrial purpose has resulted in the depletion of the groundwater level in the area. Over exploitation of groundwater can lead to saltwater intrusion, making the water unfit for consumption and irrigation.

Pollution from agricultural runoff and inadequate wastewater treatment poses a significant threat to the water quality in the cascade area. Contamination of surface water and groundwater sources negatively affects human health and the ecosystem.

Hydrological Character	Current Status
Mahawewa or Pahala wewa , which is situated in the village for using water for agriculture activities.	Observed all eight tanks in the villages are using for agriculture activities, those tanks are being under reconstruction works in CSIA Project.
Kuluwewa (forest tank) constructed in the upper catchment to capture rain water, provide water for animals and filter debris and silt.	Kuda Divul wewa is situated in upper catchment area and capture rain water but paddy lands are available under these tanks.
Kayan wewa built in degraded or cleared upper catchment to trap sediments and control salinity.	Divul wewa is functioning as Kayan wewa in this cascade
Olagam wewa situated closed to village and provide water for seasonal cultivation	Bakmeegama Kuda Kumbuk wewa and Bakmeegama Maha Kumbuk wewa are situated closed to villages.
Goda wala (Water hole): constructed for the trapping and deposition of silt, to avoid siltation and sedimentation of the main village tank.	Kuda Thimbri wewa and Maha Thimbri wewa
Ihala Wewa (Storage tank): constructed for the storage of water, and is associated with paddy cultivation and other community activities.	Bakmeegama wewa is the storage tank of water and this tank was selected for rehabilitation under CSIAP, construction activities are ongoing

3.4. Environmental aspect

Environmental aspect focusing on current status of the environment in the Cascade. Ecological services and their values will assess whilst gaining an in-depth understanding of forests and biodiversity in the cascade and its surroundings. Special consideration given to border areas between protected and sensitive areas.

This cascade exhibits a remarkable biodiversity. There were several species of flora (plant/vegetation) & fauna (animal) observed on or around the cascade during the transect walk. Forest area of this cascade is enriched with different herbal plants which are used in traditional medicine. The forest area is the habitat of a wide range of animals and birds. The contractor will take reasonable precaution to prevent workmen or any other persons from removing and damaging any flora and fauna and hunting of any animal.

The wild animals have become a major problem in these cultivated areas. Local residents says that the poor condition of fence, the elephants often break the fence and enter the residential areas and damage the paddy field and some properties.

There is a high chance of inducing soil erosion due to the rehabilitation of this cascade system by clearing vegetation, excavation activities, and developing bunds, barrow pits, and soil piles. However, rehabilitation works are proposed to be carried out in the dry season with the aim of controlling soil erosion. Being a flat terrain, there is less chances of getting soil eroded due to cultural practices. However, if the land preparation is done and exposed to intensive rains occurring during September and October there is more chance for soil erosion as these soils are not much stable. The erosion occurs at the downstream of the spill

3.5. Human livelihood activities occurring within the cascade

Several practical issues affect human livelihoods in this cascade area. These issues impact on the local economy and infrastructure.

After the civil war, the cascade area has faced significant economic challenges that, the many people lost their livelihoods, and the local economy suffered. Rebuilding of infrastructure, creating employment opportunities, and fostering economic development remain crucial concerns.

Cascade area is primarily an agricultural area, with paddy cultivation and other crops being major sources of income for the local population. Rehabilitation efforts are necessary for safe and sustainable farming practices

The conflict has also disrupted access to basic services, such as healthcare, education, and clean water supply. Rebuilding and improving infrastructure in these areas is crucial to ensure the local population access essential services and improve their overall well-being.

When considering the Human -Livelihood activities, some families are using grass for their animal fodder (grazing cows), some of the families are collecting Bee honey for their lively hood, and others are collecting fire wood for their day to day activities.

3.6. Socio-Economic aspect

Table 4: Details of vulnerable families in the Bakmeegama cascade

Name of the GND	Total Number of Families	Total Number of Farm Families	Total Number of Vulnerable families			
			Woman headed	Elders	Samurdhi	Disable
231, Gomarankadawela	348	105	65	46	90	06
233/D, Bakmeegama	327	222	65	29	122	13

Table 5: Farm families and others

GN Division	GN number	No of Villages	Total Families	Farm families	Fishing families	Women Headed families	Widows
231, Gomankadawela	231	1	348	105	10	65	63
233/D, Bakmeegama	233/D	2	327	222	13	65	59

The table 4 & 5 reveals the GN division wise basic details in the Gomarankadawela and Bakmeegama GN Divisions. Totally 675 number of families are living in these two divisions. In which, 65 families are women headed families in each division and totally, 132 widows, 212 families are getting Samurdhi assistants and 23 families are engaged in fishing in these two divisions. The total 327 numbers of farm families are engaged in agricultural activities under the Bakmeegama cascade. Farm families in the cascade system typically reside in rural areas, and their livelihood primarily revolves around in agriculture. These families have inherited their farming knowledge and practices from their ancestors and work collectively to manage and maintain the irrigation system during planting, harvesting, post harvesting, protecting from wild animal at night, etc. Farming is often a family affair, even today, different members contributing to various tasks throughout the cropping period.

In the cascade system, agricultural land is modified as different terrain, with each terrain at a slightly higher elevation than the previous one. The water flow is regulated by a series of bunds (earthen embankments) that redirect water from one terrain to the next. Farm families collectively manage these bunds and ensure the proper distribution of water to all fields.

The cascade system requires close collaboration and collective effort among farm families. They work together to ensure the proper maintenance and functioning of the irrigation infrastructure. Regular meetings and discussions are held to resolve any issues, plan agricultural activities, and share knowledge and experiences. Farmer organizations & Community-based organizations often play a vital role in coordinating and facilitating these collaborative efforts.

Bakmeegama cascade is a region known for its diverse income-generating activities like Paddy and other field crops play a significant role in income generation. It's important to note that the specific income generation patterns may vary depending on individual farmers, land availability, market demand, and other local factors. The extent of land under cultivation

determines the overall income potential. The larger the cultivated area, the higher the potential income, assuming favourable crop yield and market conditions

Table:6 displays the Functioning FOs in the cascade. There are three farmer organizations are functioning in the cascade area. The cascade system requires close collaboration and collective effort among farmer organization members . They work together to ensure the proper maintenance and functioning of the irrigation infrastructure. Regular meetings and discussions are held to resolve any issues, plan agricultural activities, and share knowledge and experiences. Farmer organizations & Community-based organizations often play a vital role in coordinating and facilitating these collaborative efforts.

Table 6: Details of FOs functioning in the Bakmeegama Cascade

Tank	CBO Name
Kuda divul wewa,	“Minimuthu” Farmer Organization
Divul wewa	“Dimuthu” Farmer Organization
Palugas wewa,	“Dimuthu” Farmer Organization
Bakmeegama Kuda Kumbuk wewa,	“Bakmee” Farmer Organization
Bakmeegama Maha Kumbuk wewa,	“Bakmee” Farmer Organization
Kuda Thimbri wewa,	“Bakmee” Farmer Organization
Bakmeegama wewa	“Bakmee” Farmer Organization
Maha Thimbririewewa wewa.	“Diriya Shakyhi” Farmer Organization

3.7. Construction activities within the cascade system

Last thirty years there was no rehabilitation activities in the cascade tank’s upstream and downstream, only few maintenance works done by the DAD.

The table 7 describes the rehabilitation works CSIA Project. During the Participatory Rural Appraisal those tanks were identified for the rehabilitation by the participants. Further Engineering and Hydrological surveys completed and estimates prepared by the implementing agencies based on the previous studies. Total estimated cost Rs..... Mn.is allocated for the tank upstream and downstream development works.

Table 7: Constructions activities under implementation of CSIAP

Nos	Bakmeegama Cascade Tanks	Work Details	Civil Cost Rs.Mn.
1	Kuda divul wewa,		
2	Divul wewa		
3	Palugas wewa,		
4	Bakmeegama Kuda Kumbuk wewa,		
5	Bakmeegama Maha Kumbuk wewa,		
6	Kuda Thimbri wewa,		
7	Bakmeegama wewa		
8	Maha Thimbririwewa wewa.		
		TOTAL	

3.8. Crop pattern within the cascade system

During the transact walk, the cropping pattern of the area has discussed with the farmer leaders. It was found that Paddy cultivation is the primary agricultural activity in the Bakmeema cascade system. Farmers are cultivating paddy for a long time historically and it is being continued. The soil type is more suitable for paddy as it is regosol soil type which is only suitable for paddy.

The tank water is mainly used for paddy cultivation and during the maha season, the entire area is cultivated. During the yala season, as per the water availability 25% – 40 % of the paddy lands only cultivated

Based on the water availability in each tank in the cascade extent of cultivation is decided and water level in the tanks are carefully managed. Fields are prepared using appropriate machineries and cultivated with OFCs like Ground nut, Pumpkin ,Brinjal, Green gram ,and Cowpea and vegetables. To maintain soil fertility and minimize pest and disease problems, farmers often practice crop rotation and crop diversification. This practice helps maximize land productivity and provides farmers with a diverse range of produce for consumption and sale.

Farmers cannot change cropping pattern other than paddy. Because soil contents more clay percentages. At the same time water is only sufficient to paddy cultivation. And also continues ploughing done by tractor in the paddy field for over the long period the paddy field develop hard pan and hence it is only suitable for paddy and not for other crops.

The name of the tanks and Farm families benefitted under each tank, cultivable area now and proposed cultivable area after rehabilitation is shown separately for Maha and Yala in the table No 07

Table 08: Tank wise cultivation area before and after rehabilitation of tanks

No	Name of Tank	No of Farm families	Cultivation area before (Acres)		Cultivation area After (Acres)	
			Yala	Maha	Yala	Maha
1	Kuda divul wewa,	12	07	26		
2	Divul wewa	35	25	54		
3	Palugas wewa,	08	00	28		
4	Bakmeegama Kuda Kumbuk wewa,	34	16	16		
5	Bakmeegama Maha Kumbuk wewa,	68	100	115		
6	Kuda Thimbri wewa,	25	00	40		
7	Bakmeegama wewa	50	50	92		
8	Maha Thimbiriwewa	61	10	117		
	Total	293	208	488		

3.9. Details of irrigation management within the cascade system

Irrigation management in the Bakmeegama cascade area for ensuring sustainable agriculture and water resource utilization. The identified key issues and potential solutions related to irrigation management in this area are given below.

According to the collected information, the total water storage of tanks of Bakmeegama cascade system is not enough to cultivate all the land in Yala seasons. Around 30% of land are being cultivating in Yala season. The person called Velvedanai, who has nominated by the farmers' organisation is the responsible person for supplying water to the paddy land. Each of tank has one Velvedanai for this water management purposes. Water supplied to the paddyland ones 10 – 15 days intervals. As there are no flow measuring gauges to measure the channel discharges, the water losses are very high.

The primary issues in irrigation management is improper feeder & drainage network. Due to poorly maintained infrastructure in the tanks water may not reach all areas evenly, leading to water scarcity for some farmers in down-stream tanks while others face waterlogging. To address this issue, modernizing and upgrading the irrigation infrastructure with proper water sharing plans.

Most of the layman farmers in the cascade area may lack of knowledge about efficient irrigation practices and water management techniques. The CSIAP has arranged to conduct training programs and workshops to educate farmers about the benefits of sustainable irrigation practices, including water-saving methods, which can enhance their awareness and understanding under the tank rehabilitation.

Another issue in the cascade area is the limited availability of water storage facilities. During the monsoon season, a significant amount of water is lost due to inadequate storage capacity. Constructing or rehabilitating tanks, can help to capture and store water for dry periods, ensuring a more consistent water supply throughout the year.

By addressing these issues and implementing sustainable irrigation management practices, the cascade area, can enhance water efficiency, increase agricultural productivity, and ensure the long-term sustainability of water resources.

3.10. Current situation of the command areas

In some command areas, the distribution of water in this cascade system may be uneven. This can result in certain plots receiving more water than others, leading to uneven growth and yield variations among the cultivated crops. It requires careful planning and monitoring to ensure equitable water distribution throughout the cascade system.

In some command areas, the vegetation growth drainage systems can lead to waterlogging, especially during heavy rainfall or when excessive irrigation occurs. This can negatively impact crop growth. Proper drainage infrastructure is crucial to prevent waterlogging and ensure optimal growing conditions

04. Major Challenges face by the cascade system

The following are the major challenges faced by the Bakmeegama cascade:

- Due to the spilling water, paddy lands are submerged and destroyed
- Depletion of forest population due to chena cultivation and deforestation
- Improper maintenance of tanks, irrigation canals and structures
- Due to insufficient rainfall, the severe water shortage may be occurring - it is not possible to cultivate yala under the tanks
- Crop damage by the elephants is a problem faced by farmers in this area
- Farmers have less Knowledge regarding water Management.
- Inadequate Operation & maintenance
- Unexpected weather
- Access road/Infrastructure

4.1 Critical Issues of the cascade system

The critical issues were identified among the main challenges of the cascade and related to be the information mentioned in the Cascade Profile Theses issues addressed to be urgently to protect the cascade. Using the key stakeholders, critical issues were identified in a participatory and realistic manner. These critical issues are summarized in the below table No: 9

Table 09: Details of critical issues identified

S.No.	Critical Issue	Specific area
01	Crop damage by wild animals (specially Elephants)	Wild animals' problems
02	Shortage of water in the tanks of cascade - it leads to the reduction in Yala season cultivation and Highland cultivation	Water scarcity for agriculture
03	Inadequate improvement of tanks Infrastructure(Farm roads, Agriculture roads, Tank access roads, etc)	Infrastructure Development
04	Poor earth compaction and improper elevation of tank bund in upper stream and down stream areas	Infrastructure Development
05	Spill water does not flow properly/ Damage of sluice gate- Spillage cannot be remove/ Improper maintenance of tanks, bund, irrigation canals and structures/ Poor drainage system in the cascade area	Operation and Maintenance

06	Due to the spilling water, paddy lands are submerged and destroyed	Operation and Maintenance
07	Lack of knowledge in water management techniques and irrigation scheduling leads to poor irrigation efficiency (Water Conveyance Efficiency and Water Use Efficiency)	Lack of awareness and Training
08	Lack of stakeholder collaboration and governance - prominent hindrance in implementing cascade management plan for creating resilient environments for communities against climate-induced risks.	Poor Participatory approach
09	Contribute to develop routine tank system maintenance mechanism	Technical knowledge

4.2 Proposed strategic interventions by the Cascade Management Committee to resolve/mitigate Critical issues of the cascade system

1. Contribute to reduce crop damage by elephants
2. Facilitate to Improvement of tanks Infrastructure(Farm roads, Agriculture roads, Tank access roads, causeway etc.
3. Facilitate to technically maintenance the tank bund and spill
4. Improve the tank reservation areas for reduce the Water scarcity
5. Contribute to develop routine tank system maintenance mechanism
6. Facilitate to establish sustain cascade system
7. Promote the traditional eco systems in cascade area

4.2.1. Goal.

The goal of the Cascade Management Plan of Bakmeegama cascade is improved access to water and efficient water management of sustainable cascade system

4.2.2. Objectives

The objectives of the CMP, Bakmeegama cascade are as follows

- To address the water scarcity faced by rural communities living in the cascade & provide improved and reliable water accessibility
- To manage water & associated natural resources in a sustainable manner.
- To enhance the restoration of the watershed of the system to enhance biodiversity (flora & fauna, wild animals, etc.) through integrated management

- To give awareness & knowledge in water management techniques, irrigation scheduling, and operation and maintenance of tank cascade area, tank bed, feeder canals, and drainage networks.

4.3 Key activities suggested by the Cascade Management Committee to address or mitigate critical issues

Critical issues are the issues that need to be solved by policy makers, the cascade management committee and stakeholder organizations need to addressed urgently. Critical issues can be solved or minimized through the implementation of strategic interventions. Critical issues can be solved/minimized through the realistic action plan through the key activities including technical interventions in collaboration with the stakeholders and community-based organizations. They are shown in below Table:10

Table 10 - Proposed key activities to overcome the identified issues

Sub No.	Objective	Proposed Activities
1	Contribute to reduce crop damage by elephants	1.1.Re construct /repair the damaged elephant fences
2	Facilitate to Improvement of tanks Infrastructure(Farm roads, Agriculture roads, Tank access roads, causeway etc- Construction / Reconstruction / Renovation/ Repair)	2.1. Repair/Reconstruct of damaged LB and RB chanal access path - Palugas wewa
		2.2 Reconstruct the access road to access the LB and RB chanal- Divul wewa
		2.3. Repair / Reconstruct the agri road by culvert and proper drainage system- Maha Thimbriwewa
3	Improve the tank reservation areas for reduce the Water scarcity	3.1. Repair/ Reconstruct the upper stream and down stream in 1;2 slope of LB Sluice with compaction – Palugas wewa
		3.2 . Make necessary arrangement to raise the regulator structure to the water level – to get the water to paddy field- Palugas wewa.
		3.3 Reconstruct the spill tail canal to protect the spilling water enter to paddy field- Palugas wewa
		3.4 Make arrangement to complete the construction work of LB chanal end -Palugas wewa

		3.5 Repair/ Reconstruct the upper stream and down stream in 1;2 slope of LB Sluice with compaction- Kuda Divul wewa
		3.6 Make arrangement to shift the spill at LB chanal side to RB chanal side for prevent the paddy from spilling water- Kuda Divul wewa
		3.7 Make arrangement to extend the chanal up to end of the paddy field in RB chanal to ensure the water managent- Kuda Divul Wewa
		3.8 Repair the leakage of LB and RB Sluices to avoid water lost- Divul wewa
		3.9 Renovation the tail cannal to prevent the paddy field from the spilling water -Divul wewa
		3.10 Cleaning the tank bed from lotus, bushes and grasses to reduce the water blocking – Kuda Kumbuk wewa& Maha Kumbuk wewa
		3.11 Improve the tank bund by cleaning grasses and bushes- Kuda Kumbuk wewa & Maha Kumbuk wewa
		3.12 Repair the chanel diversion for efficiently function- Kuda Kumbuk wewa
		3.13 Repair the existing spills of Kuda Kumbuk wewa and Maha Kumbuk wewa
		3.14 Repair the exixting damaged Sluice- Maha Kumbuk wewa
		3.15 Establish a new Sluice in down stream area for save rain water in tank -Bakmeegama wewa
		3.16 Make construction to raise the tank bund in correct level- Bakmeeegama wewa
		3.17 Make arrangement to widen the spill cannal – Bakmeegama wewa
		3.18 Construct new Sluice in RB area and provide IFR for new highland paddy area- Maha Thimbiriwewa
		3.19 Make arrangement to construct a causeway at the crossing point of Bakmeegama wewa tank spill cannal

		3.20 Make arrangement to put two lithy type gates in one end of the Kuda Thimbiri Anicut
		3.21 Introduction of climate smart agriculture practices, modern as well as improved agro-technical methods
4	Contribute to develop routine tank system maintenance mechanism	4.1 Conduct awareness, training in water management techniques, irrigation scheduling, and operation and maintenance of tank cascade area, tank bed, feeder canals, and drainage networks to officers, members of CBOs and farmers
		4.2. Prepare an action plan for the O & M system of tanks in the cascade
		4.3. Create fund raising mechanism for O & M system of tanks in the cascade
		4.4. Provide basic assistance/ equipment to FOs for tank O & M activities
5	Facilitate to establish sustain cascade system	5.1. Aware among stakeholders regarding benefits of cascade management
		5.2. Strengthening of Cascade Management Committee (CMC)
		5.3. Assist to prepare cascade profile and cascade development plan

05. Cascade Management (Basic) Development Plan

The participatory assessment process is the basic methodology for developing the Cascade Management (Basic) Development Plan (CMBDP), and appropriate tools were used to identify the bio-physical condition of the cascade area. The CMBDP leads to more appropriate actions to protect the landscape of the cascade. All stakeholders have been re-intervened and identified the acute cases.

5.1: Total estimated cost for implementing interventions and contribution expected from the stakeholder agencies

Table 11: Gannt Chart for proposed activities and responsible entities for implementing

No.	Proposed Activities	Budget (Rs. Mn.)	Time Frame												Responsibility of Implementation
			From July 2024 to June 2025												
			July	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	April	May	June	
1	1.1.Re construct /repair the damaged elephant fences	5.00													DAD,DF & FO
	2.1. Repair/Reconstruct of damaged LB and RB chanal access path - Palugas wewa	2.00													DS & DAD
2	2.2 Reconstruct the access road to access the LB and RB chanel- Divul wewa	1.00													PDA. & DF
	2.3. Repair / Reconstruct the agri road by culvert and proper drainage system- Maha Thimbriwewa	2.00													PDA &DF
3	3.1. Repair/ Reconstruct the upper stream and down stream in 1;2 slope of LB Sluice with compaction – Palugas wewa	2.00													DAD & PID
	3.2 . Make necessary arrangement to raise the regulator structure to the water level – to get the water to paddy field- Palugas wewa.	2.00													DAD & CSIAP
	3.3 Reconstruct the spill tail canal to protect the spilling water enter to paddy field- Palugas wewa	2.00													DAD & CSIAP

3.4 Make arrangement to complete the construction work of LB chanal end -Palugas wewa	1.5													DAD & CSIAP
3.5 Repair/ Reconstruct the upper stream and down stream in 1;2 slope of LB Sluice with compaction- Kuda Divul wewa	2.00													DAD & CSIAP
3.6 Make arrangement to shift the spill at LB chanal side to RB chanal side for prevent the paddy from spilling water- Kuda Divul wewa	2.00													DAD & CSIAP
3.7 Make arrangement to extend the chanal up to end of the paddy field in RB chanal to ensure the water managent- Kuda Divul Wewa	5.00													DAD & PID
3.8 Repair the leakage of LB and RB Sluices to avoid water lost- Divul wewa	3.00													DAD & CSIAP
3.9 Renovation the tail cannal to prevent the paddy field from the spilling water -Divul wewa	1.00													DAD & CSIAP
3.10 Cleaning the tank bed from lotus, bushes and grasses to reduce the water blocking – Kuda Kumbuk wewa& Maha Kumbuk wewa	1.00													DAD & FO
3.11 Improve the tank bund by cleaning grasses and bushes- Kuda Kumbuk wewa & Maha Kumbuk wewa	1.00													DAD&FO

3.12 Repair the chanel diversion for efficiently function- Kuda Kumbuk wewa	1.00																	DAD & CSIAP
3.13 Repair the existing spills of Kuda Kumbuk wewa and Maha Kumbuk wewa	1.00																	DAD & CSIAP
3.14 Repair the existng damaged Sluice- Maha Kumbuk wewa	1.00																	DAD & CSIAP
3.15 Establish a new Sluice in down stream area for save rain water in tank -Bakmeegama wewa	3.00																	DAD & CSIAP
3.16 Make construction to raise the tank bund in correct level- Bakmeegama wewa	2.00																	DAD & CSIAP
3.17 Make arrangement to widen the spill cannel – Bakmeegama wewa	2.00																	DAD & CSIAP
3.18 Construct new Sluice in RB area and provide IFR for new highland paddy area- Maha Thimbiriwewa	5.00																	DAD & CSIAP
3.19 Make arrangement to construct a causeway at the crossing point of Bakmeegama wewa tank spill cannel	3.00																	DAD & CSIAP
3.20 Make arrangement to put two lithy type gates in one end of the Kuda Thimbiri Anicut	3.00																	DAD & CSIAP
3.21 Introduction of climate smart agriculture practices, modern as well as improved agro-technical methods	5.00																	CSIAP

4	4.1 Conduct awareness, training in water management techniques, irrigation scheduling, and operation and maintenance of tank cascade area, tank bed, feeder canals, and drainage networks to officers, members of CBOs and farmers	1.50																DAD & FO
	4.2. Prepare an action plan for the O & M system of tanks in the cascade	3.00																DAD, FO & CSIAP
	4.3. Create fund raising mechanism for O & M system of tanks in the cascade	5.00																DAD,&CSIAP
	4.4. Provide basic assistance/ equipment to FOs for tank O & M activities	2.00																DAD & CSIAP
5	5.1. Aware among stakeholders regarding benefits of cascade management	2.00																DAD, CSIAP
	5.2. Strengthening of Cascade Management Committee (CMC)	3.00																DAD, CSIAP
	5.3. Assist to prepare cascade profile and cascade development plan	2.00																DAD, CSIAP

No.	Stakeholder Agency / Implementation Agency	
1	Divisional Secretariat	DS
2	Department of Agrarian Development	DAD
3	Provincial Department of Irrigation	PID
4	Provincial Department of Agriculture	PDA
5	Department of Forest	DF
6	Department of Wildlife	DW
7	Department of Local Government	DLG
8	Department of Archaeology	DA
9	Farmer Organizations	FO
10	Community Based Organizations	CBO
11	Climate Smart Irrigation Agriculture Project	CSIAP

5.2. Total estimated cost for implementing interventions and contribution expected from the stakeholder agencies

Table 12: Interventions and contribution expected from the stakeholder agencies

No.	Proposed Activities	Est. Cost (Rs. Mn.)	Expected budget contribution (Rs. Mn.)			
			Private	Line agencies	Farmer	CSIAP
1	1.1.Re construct /repair the damaged elephant fences	5.00				
2	2.1. Repair/Reconstruct of damaged LB and RB chanal access path - Palugas wewa	2.00				
	2.2 Reconstruct the access road to access the LB and RB chanel- Divul wewa	1.00				
	2.3. Repair / Reconstruct the agri road by culvert and proper drainage system- Maha Thimbriwewa	2.00				
3	3.1. Repair/ Reconstruct the upper stream and down stream in 1;2 slope of LB Sluice with compaction – Palugas wewa	2.00				
	3.2 . Make necessary arrangement to raise the regulator structure to the water level – to get the water to paddy field- Palugas wewa.	2.00				
	3.3 Reconstruct the spill tail canal to protect the spilling water enter to paddy field- Palugas wewa	2.00				
	3.4 Make arrangement to complete the construction work of LB chanal end -Palugas wewa	1.5				
	3.5 Repair/ Reconstruct the upper stream and down stream in 1;2 slope of LB Sluice with compaction- Kuda Divul wewa	2.00				
	3.6 Make arrangement to shift the spill at LB chanal side to RB chanal side for prevent the paddy from spilling water- Kuda Divul wewa	2.00				
	3.7 Make arrangement to extend the chanal up to end of the paddy field in RB chanal to ensure the water managent- Kuda Divul Wewa	5.00				

	3.8 Repair the leakage of LB and RB Sluices to avoid water lost-Divul wewa	3.00				
	3.9 Renovation the tail cannal to prevent the paddy field from the spilling water -Divul wewa	1.00				
	3.10 Cleaning the tank bed from lotus, bushes and grasses to reduce the water blocking – Kuda Kumbuk wewa& Maha Kumbuk wewa	1.00				
	3.11 Improve the tank bund by cleaning grasses and bushes- Kuda Kumbuk wewa & Maha Kumbuk wewa	1.00				
	3.12 Repair the chanel diversion for efficiently function- Kuda Kumbuk wewa	1.00				
	3.13 Repair the existing spills of Kuda Kumbuk wewa and Maha Kumbuk wewa	1.00				
	3.14 Repair the existing damaged Sluice- Maha Kumbuk wewa	1.00				
	3.15 Establish a new Sluice in down stream area for save rain water in tank -Bakmeegama wewa	3.00				
	3.16 Make construction to raise the tank bund in correct level- Bakmeegama wewa	2.00				
	3.17 Make arrangement to widen the spill cannal – Bakmeegama wewa	2.00				
	3.18 Construct new Sluice in RB area and provide IFR for new highland paddy area- Maha Thimbiriwewa	5.00				
	3.19 Make arrangement to construct a causeway at the crossing point of Bakmeegama wewa tank spill cannal	3.00				
	3.20 Make arrangement to put two lithy type gates in one end of the Kuda Thimbiri Anicut	3.00				
	3.21 Introduction of climate smart agriculture practices, modern as well as improved agro-technical methods	5.00				
4	4.1 Conduct awareness, training in water management techniques, irrigation scheduling, and operation and maintenance of tank cascade area, tank bed, feeder canals, and drainage networks to officers, members of CBOs and farmers	1.50				

	4.2. Prepare an action plan for the O & M system of tanks in the cascade	3.00				
	4.3. Create fund raising mechanism for O & M system of tanks in the cascade	5.00				
	4.4. Provide basic assistance/ equipment to FOs for tank O & M activities	2.00				
5	5.1. Aware among stakeholders regarding benefits of cascade management	2.00				
	5.2. Strengthening of Cascade Management Committee (CMC)	3.00				
	5.3. Assist to prepare cascade profile and cascade development plan	2.00				

5.3. Implementation Methodology of the Cascade Management Plan

CMBDP should be submitted to the Divisional Agriculture Committee and the District Agriculture Committee for approval. After getting the approval, it will be implemented.

The sub project proposals (Annexure No. 04) will be prepared by CMC with the support of the relevant implementing agencies for obtaining capital assistance

Major partner institutions are committed to implementing the proposed activities, preparing and supporting existing investment plans, budget reports and implementation plans, and assisting CMC in submitting grant funding proposals to be provided.

Social Audit Committees of sub-project implementation effectiveness. CMC appoints Social Audit Committees and gives active contributions to the beneficiaries to enhance the quality of work performed by the CMC



ගොවිජන සංවර්ධන දෙපාර්තමේන්තුව
கமநல அபிவிருத்தித் திணைக்களம்
DEPARTMENT OF AGRARIAN DEVELOPMENT

මගේ අංකය
எனது இல.
My No.

7/3/9/CMC/2023

ඔබේ අංකය
உமது இல.
Your No.

දිනය
திகதி
Date

2023.08.03

වික්‍රමේ අංකය - 06/2023

සියලුම දිස්ත්‍රික් ලේකම්වරුන් සහ ප්‍රාදේශීය ලේකම්වරුන් වෙත,

එල්ලංගා පද්ධති කළමනාකරණ කමිටු පිහිටුවීම හා පවත්වා ගෙන යාම.

Cascade Management Committee (CMC) Establishment & Continuity

රට අභ්‍යන්තරයේ සිට මුහුදට ගලා බසින ප්‍රධාන ගංගා (Rivers) කෘතිමික ජල මාර්ග ලෙසත්, එම ප්‍රධාන ගංගා වලට එකතුවන අතු ගංගා (Tributarite) ද්විතීක ජල මාර්ග ලෙසත්, එම අතු ගංගා වලට ජලය සපයන කුඩා ජල මාවත් (Small water ways) ප්‍රාථමික ජල මාර්ග ලෙසත් හැඳින්වේ. ග්‍රාමීය වැව් හා අමුණු වැඩි ප්‍රමාණයක් ප්‍රාථමික ජල මාර්ග හරහා ඉදිකර ඇති අතර භූමිය මතුපිට ජලය ගබඩා කර පහළට ගලා යාමට සැලැස්වීමට සකස් කර ඇති වැව් ද මීට ඇතුළත් වේ.

02. මෙරට අභ්‍යන්තරයේ පවතින ප්‍රාථමික ජල මාර්ගයක් හෝ ප්‍රථමික ජල මාර්ග ජාලයක පිහිටා ඇති, ජල විද්‍යාත්මක වශයෙන් එකට බැඳුණු කුඩා හා මධ්‍යම ප්‍රමාණයේ වැව් පද්ධති හෝ වැව් හා අමුණු පද්ධති හෝ අමුණු පද්ධති වලින් සමන්විත, මධ්‍යම ප්‍රමාණයේ ජල පෝෂක ප්‍රදේශයක් (Meso-catchment) එල්ලංගා පද්ධතිය ලෙස හැඳින්වේ.

03. ශ්‍රී ලංකාවේ එල්ලංගා පද්ධති 1166 ක් දැනට හඳුනාගෙන ඇත. මෙම එල්ලංගා පද්ධති ආශ්‍රිතව භූ විද්‍යාත්මක, ජල විද්‍යාත්මක, පරිසර විද්‍යාත්මක සහ සමාජ ආර්ථික ප්‍රගමණය උදෙසා සම්පත් භාවිතය කාර්යක්ෂමව හා නිරසරව පවත්වාගෙන යාම ඉලක්ක කරගනිමින් 1968 අංක 48 දරන වාරිමාර්ග (සංශෝධන) ආඥා පනතින් සංශෝධිත 1946 අංක 32 දරන වාරිමාර්ග ආඥා පනතේ 1 (අ) 1, 2, 3, 4 වගන්ති ප්‍රකාරව ගොවිජන සංවර්ධන කොමසාරිස් ජනරාල් වෙත පැවරී ඇති බලතල අනුව සහ උක්ත පනත යටතේ පවත්වනු ලබන දිස්ත්‍රික් කෘෂිකර්ම කමිටුවේදී වාරි කර්මාන්ත ආශ්‍රිත වී වගාව ඇතුළු කෘෂිකර්මයට බලපාන හෝ අනුෂාංගික සියලු කරුණු සම්බන්ධව කටයුතු කිරීමට උක්ත පනතෙන් ඔබ වෙත පැවරී ඇති බලතල අනුව එල්ලංගා පද්ධති කළමනාකරණ කමිටු [Cascade Management Committee (CMC)] පිහිටුවීම හා පවත්වාගෙන යාම සම්බන්ධයෙන් කෘෂිකර්ම කමිටුවේදී සමාලෝචනය කරන ලෙසත් ඊට පහත සඳහන් කරුණු මාර්ගෝපදේශ වශයෙන් යොදාගන්නා ලෙසත් කාරුණිකව දන්වා සිටිමි.

3.1. එල්ලංගා පද්ධති කළමනාකරණ කමිටු පිහිටුවීමේ පරමාර්ථ

- i. එල්ලංගාවක පිහිටි සියලු ස්වාභාවික සම්පත්, එනම් පස, ජලය, වන සම්පත, ජෛව පද්ධති, ඉඩම් හා වාරිමාර්ග පද්ධති කළමනාකරණය කිරීම සඳහා ප්‍රතිලාභීන් සහ අදාළ රාජ්‍ය නිලධාරීන් ඒකාබද්ධ ප්‍රවේශයකින් කටයුතු කිරීම සඳහා ආයතනික ව්‍යුහයක් සකස් කිරීම.
- ii. වාරි කෘෂිකර්මය, පශු සම්පත් කටයුතු සහ මිනිස් ධීවර කර්මාන්තය, සඳහා ජලය සැපයීම, වන සම්පත හා වන ජීවී අවශ්‍යතා තුළනාත්මකව පවත්වාගෙන යාම, භූගත ජල මට්ටම ප්‍රශස්ත ලෙස පවත්වාගෙන යාම, ගෙවතු වගාව ඇතුළු ගෘහස්ථ ජල අවශ්‍යතාවයන් විධිමත් ලෙස කළමනාකරණය කිරීම.

ගොවිජන සංවර්ධන දෙපාර්තමේන්තුව, පොත 42, ශ්‍රීමත් මාර්කස් ෆර්නාන්ඩෝ මාවත, සං. පො. 537, කොළඹ 07.
 கமநல அபிவிருத்தித் திணைக்களம், இல: 42, சீர் மார୍କஸ் பெர்னாந்து மாஸ்த்ளத், அ. பெ. 537, கொழும்பு 07.
 DEPARTMENT OF AGRARIAN DEVELOPMENT, No. 42, SIR MARCUS FERNANDO MAWATHA, P. O. BOX 537, COLOMBO 07.

පුරවැසි/தொலைபேசி/Telephones:

පොදු කාර්යාලය } 011 - 2694231
 பொது அலுவலகம் } 011 - 2694232
 General Office } 011 - 2694233
 } 011 - 2694234
 ෆැක්ස් } 011 - 2693572
 தொலைநகல் } 011 - 2691843
 Fax } 011 - 2674481

ගොවිජන සංවර්ධන කොමිස්නර්ස් ජනරාල්
 கமநல அபிவிருத்தி ஆணையாளர் நாயகம்
 Commissioner General of Agrarian Development

011-2691060

E - mail: commissionerdad@yahoo.com.

එදුල් තෙහ්දි
 தருதி
 Telegram

ගොවිජනසේවා
 கொளவிசைமை
 Agraservis

- iii. කෘෂිකාර්මික කටයුතු සඳහා ජලය භාවිතා කරන්නන් ඇතුළුව එල්ලංගා පද්ධතිය නඩත්තු කිරීම සඳහා අවනතුන් පරිශීලකයන්ගේ සහ පාර්ශ්වකරුවන්ගේ ආයතනික ලබාගැනීම.

3.2. එල්ලංගා පද්ධති කළමනාකරණ කමිටු පිහිටුවීමේ අරමුණු

- i. එල්ලංගා පද්ධති කළමනාකරණය හා තිරසර පැවැත්ම සඳහා නීතිමය පිළිගැනීමක් සහිත ආයතනික ව්‍යුහයක් ඇති කිරීම.
- ii. එක් එක් එල්ලංගා පද්ධති වලට අදාළව එහි ක්‍රියාකාරීත්වයට හා තිරසර පැවැත්මට අදාළ වන ගැටළු හා යෝජිත විසඳුම් ඒකාබද්ධ ප්‍රවේශයකින් යුක්තව සාකච්ඡා කර නීතිමය වශයෙන් පිළිගත් ක්‍රමවේදයක් ඇති කිරීම.
- iii. එල්ලංගා පද්ධතිය තුළ පිහිටි වාරි කෘෂිකාර්මික, ජල කළමනාකරණ, පාරිසරික, සමාජ ආර්ථික හා භූ විද්‍යාත්මක සාධක පද්ධතියේ මනා ක්‍රියාකාරීත්වය සඳහා අඛණ්ඩව හා සක්‍රීයව පවත්වාගෙන යාමට ක්‍රමවේදයක් ඇති කිරීම.
- iv. එල්ලංගා පද්ධතියේ සංවර්ධන කටයුතු වලදී, මුළු පද්ධතියට සිදුවන හානියෙන් වලක්වා ගනිමින් අවශ්‍යතා තහවුරු කිරීම, ජල සම්පත් කාර්යක්ෂමව පරිහරණය සඳහා වගා කන්න පදනම් කර ගනිමින් සැලසුම් සකස් කිරීම.
- v. එල්ලංගා පද්ධතිය සඳහා ඒකාබද්ධ කෘෂිකාර්මික නිෂ්පාදන සැලැස්මක් සකස් කිරීම හා එම සැලැස්මේ ක්‍රියාත්මක තත්ත්වය පසුපරම් කිරීම.
- vi. එල්ලංගා පද්ධතියක පැවතිය යුතු අංශෝපාංග ප්‍රතිස්ථාපනය සඳහා අවශ්‍ය කටයුතු කිරීම.
- vii. එල්ලංගා පද්ධති හා බැඳුණු සමාජ ආර්ථික සම්බන්ධතා ආරක්ෂා කිරීම හා ඒ පිළිබඳව පාර්ශ්වකරුවන් දැනුවත් කිරීම.

3.3. එල්ලංගා පද්ධති කළමනාකරණ කමිටුවේ කාර්යභාරය

- i. එල්ලංගා පද්ධතිය සඳහා වන සැලසුම් සකස් කිරීම, ක්‍රියාත්මක කිරීම හා පසුපරම් කිරීම.
- ii. එල්ලංගා පද්ධති කළමනාකරණ කමිටු සාමාජිකයන් විසින් ඉදිරිපත් කරනු ලබන ගැටලු, යෝජනා සහ සැලසුම් සඳහා විසඳුම් ලබාදීම සහ විසඳිය නොහැකි ගැටලු අදාළ වන පරිදි ප්‍රාදේශීය / දිස්ත්‍රික් කෘෂිකර්ම කමිටුව වෙත යොමු කර විසඳා ගැනීම.
- iii. එල්ලංගා පද්ධති කළමනාකරණයට අදාළ වාර්තාවක් අවස්ථානුකූලව ප්‍රාදේශීය / දිස්ත්‍රික් කෘෂිකර්ම කමිටුව වෙත ඉදිරිපත් කිරීම.
- iv. ග්‍රාමීය වැව් එල්ලංගාවක් තුළ පිහිටි සියලුම ජල මූලාශ්‍ර හා ජල පාරිභෝගිකයින් එක්ව එල්ලංගාව අයත් මධ්‍යම ජල පෝෂක ප්‍රදේශය (Meso-Catchment) සඳහා ඒකාබද්ධ කෘෂිකාර්මික සැලැස්මක් පිළියෙල කොට ක්‍රියාත්මක කිරීම.
- v. එල්ලංගාවක් තුළ කටයුතු කරන සියලුම ජල පාරිභෝගිකයන්ගේ අවශ්‍යතා අනුව ජල පෝෂක ප්‍රදේශය තුළ පවතින ස්වභාවික සම්පත් කළමනාකරණයට අදාළ තීරණ ගැනීම හා ක්‍රියාත්මක කිරීම.
- vi. ස්වභාවික ආපදා, වාසනා හා භෞතික මානව ක්‍රියාකාරකම් අවම කරගැනීමට හැකිවන පරිදි සියලු ජල මූලාශ්‍ර කළමනාකරණය කිරීම.
- vii. එල්ලංගාව තුළ පිහිටි සියලු ජල මූලාශ්‍ර ආශ්‍රිත ජල පාරිභෝගිකයන් අතර කාර්යක්ෂම තොරතුරු සන්නිවේදන ක්‍රමයක් ස්ථාපිත කිරීම.
- viii. එල්ලංගාව තුළ ඇති පරිසර පද්ධති වලට අදාළ යෙදවුම් හා නිමවුම් ප්‍රශස්ත ලෙස කළමනාකරණය සඳහා විධිමත් ක්‍රමවේදයක් ස්ථාපිත කිරීම.
- ix. පවතින හා ඉදිරියේදී ඇතිවිය හැකි බවට අනාවැකි පල කරන දේශගුණික විචලනයන් සඳහා යෝග්‍ය වූ දේශගුණික සුහුරු උපායමාර්ගික සැලසුම් ක්‍රියාවට නැංවීම සහ ජල පාරිභෝගිකයන් එවැනි දේශගුණික අනුගත වීම් වලට හුරු කිරීම.
- x. එල්ලංගා පද්ධතිය තුළ ජල පාරිභෝගිකයන් අතර දැනුම, ආකල්ප, කුසලතාවයන් සහ සම්පත් එලදායි ලෙස හුවමාරු කරගැනීම.
- xi. ජල පාරිභෝගිකයන්ගේ ඉඩම්, ජලය හා පරිසර පද්ධතිවල එලදායිතාවය ඉහළ නැංවීමට කටයුතු කිරීම.

- xii. කෘෂිකර්මයට හා ජල පරිභෝජනයට අදාළ වන පරිසර පද්ධති හා සම්බන්ධ සාම්ප්‍රදායික නීති හා පනවන ලද නීති බලාත්මක කිරීමට අවශ්‍ය සහය ලබා දීම.
- xiii. ඉඩම් හිමි ගොවීන්ගේ හා බුක්කිකරුවන්ගේ රැස්වීම (වගා කන්න රැස්වීම) පැවැත්වීම සඳහා අවශ්‍ය මූලික තීරණ ගැනීමට ගොවීන්ට සහාය වීම, ඊට අදාළ සම්බන්ධීකරණ කටයුතු සිදු කිරීම සහ පසුපරම් කිරීම.
- xiv. එල්ලංගා පද්ධති බල ප්‍රදේශය තුළ සියලු ජල මූලාශ්‍ර සහ ඊට අනුබද්ධ අනිකුත් පරිසර පද්ධති වල තීරසර බව සඳහා අදාළ රාජ්‍ය ආයතනවල මහ පෙන්නිරීම හා උපදෙස් අනුගමනය කරමින් සංරක්ෂණය කරවීමට ක්‍රියාමාර්ග ගැනීම.
- xv. එල්ලංගා පද්ධතියට හානිකරන පාර්ශවයන්ට එරෙහිව නීතිමය පියවර ගැනීමට අවශ්‍ය කටයුතු කිරීම.
- xvi. එල්ලංගා පද්ධතියේ සෑම සංවර්ධන ක්‍රියාවලියකදීම ඒ සඳහා ක්‍රියාකාරී ලෙස දායකත්වය ලබාදීම හා ප්‍රගති සමාලෝචනය කිරීම.
- xvii. එල්ලංගා පද්ධතියේ වාරි කර්මාන්ත වල කන්න රැස්වීම් තීරණ ක්‍රියාත්මක කිරීමේ තත්ත්වය පසුපරම් කිරීම.
- xviii. එල්ලංගා පද්ධතියේ වාරි කර්මාන්ත වල මෙහෙයුම් හා නඩත්තු වැඩසටහන පසුපරම් කිරීම.

3.4. එල්ලංගා පද්ධති කලමනාකරණ කමිටුවේ සංයුතිය

3.4.1 ප්‍රාදේශීය මට්ටම

මෙම කමිටුව අදාළ ප්‍රාදේශීය ලේකම් බල ප්‍රදේශයේ පහත නිලධාරීන්ගෙන් සමන්විත වේ.

- i. ප්‍රාදේශීය ලේකම්
- ii. ගොවිජන සංවර්ධන ප්‍රාදේශීය නිලධාරී
- iii. කෘෂිකර්ම උපදේශක
- iv. පළාත් වාරිමාර්ග දෙපාර්තමේන්තුව නියෝජනය කරමින් ඉංජිනේරු / තාක්ෂණික නිලධාරී
- v. ගොවිජන සංවර්ධන දෙපාර්තමේන්තුව නියෝජනය කරමින් ප්‍රාදේශීය ඉංජිනේරු / තාක්ෂණික නිලධාරී
- vi. කෘෂිකර්ම පර්යේෂණ හා නිෂ්පාදන සහකාර
- vii. ග්‍රාම නිලධාරී
- viii. සමෘද්ධි සංවර්ධන නිලධාරී
- ix. ආර්ථික සංවර්ධන නිලධාරී
 - x. ඉඩම් පරිහරණ හා ප්‍රතිපත්ති සැලසුම් දෙපාර්තමේන්තුවේ නියෝජිතයෙකු
 - xi. පළාත් ධීවර දෙපාර්තමේන්තුවේ නියෝජිතයෙකු
 - xii. ජලජීවී වගා සංවර්ධන අධිකාරියේ නියෝජිතයෙකු
 - xiii. පරිසර අධිකාරියේ නියෝජිතයෙකු
 - xiv. පොලිස් පරිසර ඒකකයේ නියෝජිතයෙකු
 - xv. සත්ත්ව නිෂ්පාදන හා සෞඛ්‍ය දෙපාර්තමේන්තුවේ නියෝජිතයෙකු
 - xvi. කෘෂිකර්ම හා ගොවිජන රක්ෂණ මණ්ඩලයේ නියෝජිතයෙකු
 - xvii. වාරි මාර්ග ඉංජිනේරු/තාක්ෂණ නිලධාරී
 - xviii. වන ජීවී සංරක්ෂණ දෙපාර්තමේන්තුවේ නියෝජිතයෙකු
 - xix. වන සංරක්ෂණ දෙපාර්තමේන්තුවේ නියෝජිතයෙකු
 - xx. භූ විද්‍යා හා පතල් කැණීම් කාර්යාංශයේ නියෝජිතයෙකු
 - xxi. ජාතික ජල සම්පාදන හා ජලපවාහන මණ්ඩලයේ නියෝජිතයෙකු
 - xxii. පුරාවිද්‍යා දෙපාර්තමේන්තුවේ නියෝජිතයෙකු
 - xxiii. සිවිල් ආරක්ෂක දෙපාර්තමේන්තුවේ නියෝජිතයෙකු
 - xxiv. පළාත් පාලන ආයතන නියෝජනය කරමින් බලයලත් නිලධාරියකු
 - xxv. ගොවි සංවිධාන, කාන්තා ගොවි සංවිධාන, නිෂ්පාදන ගොවි සංවිධාන නියෝජනය කරමින් එක් එක් ගොවි සංවිධානයේ සභාපති හෝ ලේකම්
 - xxvi. ප්‍රජා ජල සංවිධානයක නියෝජිතයෙක්

3.5. එල්ලංගා පද්ධති කලමණාකරණ කමිටුවක නිලධාරී මණ්ඩලය - ප්‍රාදේශීය මට්ටම

- i. එල්ලංගා පද්ධතියට ප්‍රාදේශීය ලේකම් කොට්ඨාස එකකට වැඩි ගණනක් පවතින අවස්ථාවක දී සහභාගී වන සෑම ප්‍රාදේශීය ලේකම්වරයෙක්ම කමිටුවේ සම සභාපති ලෙස නිල වශයෙන් කටයුතු කළ යුතුය.
- ii. එල්ලංගා පද්ධතියට අදාළ ගොවිජන සේවා බල ප්‍රදේශයේ ගොවිජන සංවර්ධන ප්‍රාදේශීය නිලධාරී කමිටුවේ ලේකම් ලෙස නිල වශයෙන් කටයුතු කළ යුතුය. එල්ලංගා පද්ධතියට ගොවිජන සේවා බල ප්‍රදේශ එකකට වැඩි ගණනක් පවතින අවස්ථාවන්හි දී වැඩි පෝෂිත අක්කර ගණනක් පවතින බල ප්‍රදේශයේ ගොවිජන සංවර්ධන ප්‍රාදේශීය නිලධාරී ලේකම් ලෙස කටයුතු කළ යුතුය.
- iii. කමිටුවේ සභාපතිවරයාගේ උපදෙස් පරිදි ලේකම්වරයා විසින් රැස්වීම කැඳවීම සිදු කළ යුතුය.

3.6. එල්ලංගා පද්ධති කලමණාකරණ කමිටුවක නිලධාරී මණ්ඩලය - දිස්ත්‍රික් මට්ටම

- i. එල්ලංගා පද්ධතියට දිස්ත්‍රික් එකකට වැඩි ගණනක් පවතින අවස්ථාවක දී සහභාගී වන සෑම දිස්ත්‍රික් ලේකම්වරයෙක්ම කමිටුවේ සම සභාපති ලෙස නිල වශයෙන් කටයුතු කළ යුතුය.
- ii. එල්ලංගා පද්ධතියට අදාළ දිස්ත්‍රික් නියෝජ්‍ය / සහකාර කොමසාරිස්වරුන් කමිටුවේ ලේකම් ලෙස නිල වශයෙන් කටයුතු කළ යුතුය. එල්ලංගා පද්ධතියට ගොවිජන සේවා බල ප්‍රදේශ එකකට වැඩි ගණනක් පවතින අවස්ථාවන්හි දී වැඩි පෝෂිත අක්කර ගණනක් පවතින දිස්ත්‍රික් නියෝජ්‍ය / සහකාර කොමසාරිස්වරුන් ලේකම් ලෙස කටයුතු කළ යුතුය.
- iii. කමිටුවේ සභාපතිවරයාගේ උපදෙස් පරිදි ලේකම්වරයා විසින් රැස්වීම කැඳවීම සිදු කළ යුතුය.

04. ශ්‍රී ලංකාවේ කෘෂිකර්මාන්තයේ නිරසර බව රඳා පවතින ප්‍රධාන අංගයක් වන ජෛව පද්ධති කළමනාකරණය සඳහා එල්ලංගා වාරිමාර්ග කළමනාකරණය විධිමත් කිරීම සඳහා පිහිටවනු ලබන එල්ලංගා පද්ධති කළමනාකරණ කමිටු [Cascade Management Committee (CMC)] තුළින් අපේක්ෂිත කාර්යභාරය ඉටුකරගැනීම සඳහා ඒකාබද්ධ ප්‍රවේශයකින් කටයුතු කරනු ඇතැයි අපේක්ෂා කරමි.


 ඒ.එම්.එම්.එල්.අබේරත්න
 ගොවිජන සංවර්ධන කොමසාරිස් ජනරාල්

පිටපත් :-

- i. ලේකම්, රාජ්‍ය පරිපාලන, ස්වදේශීය කටයුතු, පළාත් සභා හා පළාත් පාලන අමාත්‍යාංශය
- ii. ලේකම්, කෘෂිකර්ම අමාත්‍යාංශය
- iii. සියලුම පළාත් ප්‍රධාන ලේකම්වරුන්
- iv. විගණකාධිපති, ජාතික විගණන කාර්යාලය
- v. පොලිස්පති, ශ්‍රී ලංකා පොලිස් දෙපාර්තමේන්තුව
- vi. අධ්‍යක්ෂ ජනරාල්, කෘෂිකර්ම දෙපාර්තමේන්තුව
- vii. අධ්‍යක්ෂ ජනරාල්, වාරිමාර්ග දෙපාර්තමේන්තුව
- viii. අධ්‍යක්ෂ ජනරාල්, සමෘද්ධි සංවර්ධන දෙපාර්තමේන්තුව
- ix. අධ්‍යක්ෂ ජනරාල්, වනජීවී සංරක්ෂණ දෙපාර්තමේන්තුව
- x. වන සංරක්ෂක ජනරාල්, වන සංරක්ෂණ දෙපාර්තමේන්තුව

- xi. අධ්‍යක්ෂ ජනරාල්, සත්ත්ව නිෂ්පාදන හා සෞඛ්‍ය දෙපාර්තමේන්තුව
- xii. අධ්‍යක්ෂ ජනරාල්, ඉඩම් පරිහරණ හා ප්‍රතිපත්ති සැලසුම් දෙපාර්තමේන්තුව
- xiii. අධ්‍යක්ෂ ජනරාල්, පුරාවිද්‍යා දෙපාර්තමේන්තුව
- xiv. අධ්‍යක්ෂ ජනරාල්, සිවිල් ආරක්ෂක දෙපාර්තමේන්තුව
- xv. අධ්‍යක්ෂ ජනරාල්, ජලජීවී වගා සංවර්ධන අධිකාරිය
- xvi. අධ්‍යක්ෂ ජනරාල්, මධ්‍යම පරිසර අධිකාරිය
- xvii. අධ්‍යක්ෂ ජනරාල්, භූ විද්‍යා හා පතල් කැණීම් කාර්යාංශය
- xviii. සභාපති, කෘෂිකාර්මික හා ගොවිජන රක්ෂණ මණ්ඩලය
- xix. සමාන්‍යාධිකාරී, ජාතික ජල සම්පාදන හා ජලපවාහන මණ්ඩලය
- xx. සියලුම පළාත් ලේකම් වරුන්, පළාත් කෘෂිකර්ම අමාත්‍යාංශය
- xxi. ලේකම්, පළාත් වාරිමාර්ග අමාත්‍යාංශය
- xxii. සියලුම පළාත් කෘෂිකර්ම අධ්‍යක්ෂකවරුන්, පළාත් කෘෂිකර්ම දෙපාර්තමේන්තුව
- xxiii. සියලුම පළාත් සත්ව නිෂ්පාදන හා සෞඛ්‍ය අධ්‍යක්ෂකවරුන්, පළාත් සත්ත්ව නිෂ්පාදන හා සෞඛ්‍ය දෙපාර්තමේන්තුව
- xxiv. ව්‍යාපෘති අධ්‍යක්ෂකවරුන් - CSIAP/ CRIWMP/ SARP
- xxv. සියලුම ගොවිජන සංවර්ධන නියෝජ්‍ය/සහකාර කොමසාරිස් වරුන්

(කාරුණික දැනගැනීමට සහ අවශ්‍ය කටයුතු සඳහා)

Annexure 2

Attendance of Transact walk



MINISTRY OF AGRICULTURE
CLIMATE SMART IRRIGATED AGRICULTURE PROJECT (CSIAP)
PROVINCIAL DEPUTY PROJECT DIRECTOR'S OFFICE, EASTERN PROVINCE

Group A —

Date: 11.03.2023 Time: 11:45 Venue: ...
Subject: Transact walk in Kudalimalan, Dambulla and Palugana

අංකය No.	සහභාගිවන්නාගේ නම Name	ස්ත්‍රී/පුරුෂ යුග්ම/ Gender	ලිපිනය Address	ජාතික හැඳුනුම්පත් අංකය අ.අ.ම.න.අ. N.I.C. No.	දුරකථන අංකය දුරකථන අංකය Mobile No.	අත්සන Signature
01	D.M.S.C. Rulapasa	Male	CSIAP - Trinco	65033191V	0711991708	
02	A. Asadullah	M	D.O. Gomarankada D.S. Office	198624010090	0778623225	
03	V. Sivatharshini	F	D.O. Gomarankada D.S. Office	776633356V	0776180764	
04	H. Tharshini	F	CC Planning D.S. Gomarankada	896512820V	071.6005227	
05	K.R.P. Bandara	F	G.N. D.S. Office Gomarankada	828281593V	0716280084	
06	S.A. Dissanayake	M	G.O. 208 කොට්ඨාස	0770983436V	0788464972	

Group B

අංකය No.	සහභාගිවන්නාගේ නම Name	ස්ත්‍රී/පුරුෂ යුග්ම/ Gender	ලිපිනය Address	ජාතික හැඳුනුම්පත් අංකය අ.අ.ම.න.අ. N.I.C. No.	දුරකථන අංකය දුරකථන අංකය Mobile No.	අත්සන Signature
07	Y.M. Sayee	Male	Trinco DDP	990270979V	0764719503	
08	S. Jayasinghe	M	Trinco DDP	543615037	0717945256	
09	N. Feroz	Male	Trinco DDP	923944198V	0765373711	
10	T. Suthakaran	Male	CSIAP - Trinco	770101778V	0741053637	
11	K. Ramanathan			17493420798	0788000518	
12	J.J.E. Phelicia	Male	303/2 Kurumbura Trinco	601662418V	073968582V	
13	A.A.S. Dissanayake	Male	200/2, 200/3, 200/4, 200/5, 200/6, 200/7	952891200V	0773880780	



MINISTRY OF AGRICULTURE
CLIMATE SMART IRRIGATED AGRICULTURE PROJECT (CSIAP)
PROVINCIAL DEPUTY PROJECT DIRECTOR'S OFFICE, EASTERN PROVINCE

Group B




Date: Time: Venue:
Subject:

අංකය නිල.	සහභාගිවන්නාගේ නම පෙරුම	ස්ත්‍රී/පුරුෂ යුග්ම/ පෙරුම	ලිපිනය (ග්‍රාමය)	ජාතික හැඳුනුම්පත් අංකය අ.අ.නිල.අංකය	දුරකථන අංකය දිනාලය/දිනාලය	අත්සන කෙටුම්පත
01	Dr S. M. Hussain	M	AFS CSIAP	66631782	072397818	
02	P.P. Dissanayake	F	AF - CSIAP	976404129v	0714868076	
03	U. Srimath Samathra	F	AF - CSIAP	976242695v	0755903059	
04	H. K. C. PRASANNA	M	RANGE FOREST OFFICE SOMARANKADAWALA	713293679 v	0717168099	
05	G. S. S. Seneviratna	U	99	9617 888130 074277451	0742794510	
06	M. Thushyanthan	M	DS Office, Morawewa	197530210058	0776179134	

Group B

අංකය නිල.	සහභාගිවන්නාගේ නම පෙරුම	ස්ත්‍රී/පුරුෂ යුග්ම/ පෙරුම	ලිපිනය (ග්‍රාමය)	ජාතික හැඳුනුම්පත් අංකය අ.අ.නිල.අංකය	දුරකථන අංකය දිනාලය/දිනාලය	අත්සන කෙටුම්පත
07	A. M. M. M. M. M.	පුරුෂ	DS Office, SOMARANKADAWALA	8911430612 v	0778709845	
08	R. K. S. S. S.	පුරුෂ	DS Office, SOMARANKADAWALA	790592573 v	0716937540	
09	2 නමා එළකු					
10	36 නමා	පුරුෂ	60707 නමා		071706546	
11	25 නමා	පුරුෂ	99		071568268	
12	K. B. N. S. S.	පුරුෂ	ශ.ප. කළමනාකරණ	888 222855 v	0719203169	
13	W. S. S. S.	පුරුෂ	S. P. O. 2182	6958 22154 v	0766756941	

අංකය இல.	සහනාධිபතයේ නම பெயர்	ස්ත්‍රී/පුරුෂ ஆண்/ பெண்	ලිපිනය முகவரி	ජාතික හැඳුනුම්පත් අංකය அ.அ.இலக்கம்	දුරකථන අංකය தொலைபேசி இல.	අත්සන கையொப்பம்
14	කේ. ප්‍රසාද්	පුරුෂ	ති.කන්තමඩ	1979278055A	072279188	
15	K-A. mubsey	male	Samson kendrew	198502502785	0715817140	

අංකය இல.	සහකාරීවන්නාගේ නම பெயர்	ස්ත්/පුරුෂ ஆண்/ பெண்	පිහිටය முகவரி	සාතික හඳුනාගැනීමේ අංකය அ.அ.இலக்கம்	දුරකථන අංකය தொலைபேசி இல.	අත්සන கையொப்பம்
01	K. Devanajali	M	CSIAP/EP	883121185V	0773754881	
02	T. Sekaran	M	CSIAP/EP	851333514V	0775228125	
03	M.L. Siyabdeen	M	Range Forest office Gromaran Kadavala	850653763V	0767373862	
04	S.R.G.S. Horath	M	CSIAP/EP	19662660083V	0716574994	
05	A.J.M. ROSAN	M	"	950791900V	0760656518	
06	N. Asul Krithnas	M	DS. office Agriculture 20	199212803156	0760724286	N. Asul

51

Annexture 3: List of officials and members of the first CMC.

Gomarankadawala			
Position	Nominated Person	Position & Department/ Organization	Conduct No
Secretary (ADO)	Mr.K.A. Mubeer	ADO, Gomarankadawala	0716817140
Chairman (Rep. of DS)	Mr.M.Thushyanthan	Deputy Director Planning, Gomarankadawala	0776179134
Treasurer	Mr.S.Jayasiri D.Silva	President FO	0717942546
CO- Chairman (Rep. of FO)	Mr.K.Gunarathna	FO Member	0712812303
Vice Secretary (Rep. of FO)	H.D.C Pratheep Silva	RDS, Secretary	0767681185
Committee Members 1	Ms.Nishansala Minihami	WFO	
2	M.W.Alakshandar	Gramma Nilathari	0775075213
3	S.D.Clament	AI, Gomarankadawala	0718905570
4	A.Janushan	DO, Central Irrigation	0784387477
5	R.Rahunan	Technical Officer, Provincial Irrigation	0775133211
6	Ms.H.Tharshini	CMA, DS Office, Gomarangadawala	0716005227
7	M.Kajendra	DO, Agriculture DS Office, Gomarankadawala	

Annexure 4: Guidance format for preparation of subproject proposals to raise funds to implement interventions and major activities

Format for preparing a Subproject Proposal (SPPs) to obtain funds for implementation of interventions.

1.Administrative Details:

No	Matters	Details
1	Contact details of proposal submitting agency: (postal, e-mail, telephone etc	
2	Contact Details of the implementing agency: (postal, e-mail, telephone etc.)	
3	Contact details with the position of the person responsible for providing information of the proposal (e-mail, telephone – land/mobile:	
4	Sector of the proposal (rehabilitation of tanks/catchment treatment/agriculture practices/ marketing/ institutional development/technology transferring/training/other (specify etc.).	
5	Ref. no of the concurrence of the Divisional Agriculture Committee (DAC).	

2.Sub-Project Details:

2.1.Title of the Sub-Project (Please note that the name may be very similar to that of the project development objective, but not in all time):

.....

2.2.Summary of the sub-project (please give a very brief paragraph answering the questions of what it is, why it is, who it is, where it is and when it is implemented? The estimated total cost is also needed).

.....

2.3.Project Location (details such as cascade, Agrarian Service Centre, Local Government Ward, GN Division etc. If the project location is considered as a highly vulnerable area to flood or drought, please indicate that too).

.....

2.4.Project issue/rational/justification (This is very important and is considered as the main part of the proposal. Therefore, please highlight what the issue, how it is impacted on the farmers, how it was identified and what bad effects would happen, if it is not resolved).

.....

2.5.How the critical issue was identified? (through community consultations, requests from farmer organisations, cascade management plan etc.).

.....

2.6.Objective of the sub-project (please formulate this in very rational manner since it is important for the monitoring purpose).

.....

2.7.Specific Objectives (Specific objectives need to be developed according to SMART form and this is also very important for the monitoring purpose.

1.

2.

2.8.Proposed sub- project activities (This part needs to be described very rationally and what actions the implementing agency proposed to address the critical issue and how it contributes to achieve the project objective?

.....

2.9.Expected results (these may be economic, political, social, environment, cultural, nutritional etc.).

1.

2.

2.10.Beneficiaries (The nature of the beneficiaries – In addition to number of male and female, please indicate other characteristics also such as belonging to low-income or indigenous groups, affected by war etc.).

.....

2.11.Who of the beneficiaries will participate in implementation?

2.12.How do women get benefited?

.....

2.13.Who will be responsible for operation and maintenance (O&M) including estimated cost for O&M?

.....

2.14.Potential Risks and strategies propose to minimize the risks

2.15.Does the project fall either under the negative list or prescribed list?

(a) If Yes, please explain whether IEE or EIA is required.

.....

(b) If No, IEER/EIS format will be required.

2.16.Name/names of the proposed farmer organizations or producer organizations that could be got involved in implementing the sub-project (if applicable, details need to be annexed).

.....

3. Implementation methodology

3.1. How the project is planned to be implemented and with what stakeholders etc? (describe with adequate details).

.....

3.1. Tendering process (explain how it is planned to procure required materials).

3.2. Activity plan (describe the activity plan with the time frame and the responsible agencies/persons in implementation. This need to be describe using a Gantt chart).

4. Subproject Monitoring Mechanism: (This is very important. Therefore, please describe how the monitoring activities are taken place providing adequate details).

.....

5. Subproject Evaluation Mechanism: (please indicate how the implementing agency plans to evaluate the project and at what intervals).

.....

6.Reporting arrangement (please describe who will take the responsibility of making both financial and progress reporting and also the expected time period).

7.Estimated Cost:

No	Major Activity	Total estimated cost in LKR	Community Contribution (LKR)	Other sources(spe cify) (LKR)	Amount expected from donor agency (LKR)
1					
2					

8.Submission

8.1.Authorized person to submit the sub-project proposal on behalf of the Cascade Management Committee (CMC).

8.2.Position, contact details, frank, date of submission

09.Annexes:

(Please annex all relevant additional details to provide adequate information to justify the subproject proposal and thereby to expedite the approval process.)

Annex 5: Any other appropriate information

Pictorial Perspective of Transact walk



